





WWW.NORTHWOODMFG.COM

# A LEGACY OF QUALITY

NASH 24B

ABSOLUTE NORTHWOOD: WHERE OUR QUALITY BEGINS



Our Commitment to

# QUALITY STRENGTH DURABILITY

### Loaded with ALL these Standard Features

Shock Absorbers
Certified Off-Road Chassis
TG Plywood Floor Decking
Plywood Roof Decking
Multi Layered Fiberglass Wall

...plus these amenities
12 Volt Power Awning
Rear Receiver Hitch
10 Gal. Water Heater
Generator Ready

...and these Absolute Northwood Features

LED Lighting Inside and Out
Custom Built Off Road Certified Chassis
Bonded Northwood Roof Truss System
Residential Quality Face-Frame
Custom Built Cabinetry

All Conditions-Insulated & Heated Holding Tanks & Valves
Glue Bonded Construction w/16" O/C Wood Frame,
2x4 Wheel Wells, 2x6 Headers & Steel Reinforcing
One Piece Fiberglass Exterior Wall w/
Multiple Laminated Luaun Subtrate layers

...STANDARD ON EVERY NASH!

## INTERIOR COLORS FOR 2021



EARLY AUTUMN

# BUILT OFF ROAD TOUGH

## ROOF

**Full Walk On Roof with Bonded Roof Truss System Cathedral Arched Ceiling** 

### FRAME

**Select Grade Wood Frame Wall** w/Steel Hurricane Plates

### FLOORS

**Commercial Grade Linoleum, Fully Insulated** Tongue and Groove Plywood (not chipboard)

### SLIDE OUTS

4 Seals, Dual Rack & Pinion Rams (main slides) **Insulated, Cross Ventilating Windows** 

### CHASSIS

**Custom Built, Independently Tested & Certified** 

## CABINETS


**Wall & Ceiling Mounted, Face Frame Construction** 

### A. NORTHWOOD ROOF TRUSS SYSTEM

- Heavy Gauge One Piece Roof Membrane
  3/8" Plywood Sheathing (Bonded to Trusses)
  R-15 Reflective 'Arctic' Foil Insulation
  R-14 Dual Layer Fiberglass Insulation
  Cathedral Arched Roof Trusses (More overhead space)
  Interior Lamination Grade Lauan Plywood (Bonded to trusses)
- Designer Interior Decor Finish Paneling

# B. ONE PIECE LAMINATE FIBERGLASS WALLS 8 Lamination Grade Lauan Plywood Interior Wall 9 Select Grade Lumber In All Our Wood Frame Walls 10 Structural Joints Reinforced w/ Steel Hurricane Plates 11 R-7 Residential Grade Fiberglass Insulation 12 Lamination Grade Lauan Plywood Exterior Wall Layer 13 Second Substrate Layer 14 Mach Fiberglass Front Cap

- 14 Nash Fiberglass Front Cap



# C. ULTIMATE DURABILITY FLOOR STRUCTURE 15 Commercial Grade Linoleum with 20 mil Surface 16 5/8" T&G Plywood Decking (Not Chipboard) 17 R-7 Residential Grade Fiberglass Insulation 18 Reinforced Woven Highway Moisture Barrier

### D. DUAL RACK & PINION RAM MAIN SLIDE ROOM

- 4 Seal System w/ Inner & Outer Bulb Seal
  ...including Wiper Seal for Continual Seal (Any Position)
  ...and Outer Bulb Seals

Our Northwood Built Chassis are Independently Tested & Certified by Pacific West Associates, Inc.

### E. CHASSIS

- 22 Independently Certified Custom Built Northwood Chassis
  23 R-7 Residential Quality Formaldehyde Free Fiberglass Insulation
  24 Corrugated Underbelly Panels
  25 Heated and Insulated Large Capacity Holding Tanks
  26 Easy Lube Axles and Shock Absorbers
  27 Heavy Duty Radial Tires
  28 Sealed All Metal Heat Ducts

### MORE ABSOLUTE NORTHWOOD QUALITY FEATURES

- 29 All Foam Condensation Resistant A/C Ducts

- 30 Large Bath Skylight
  31 Hi Output Roof Mount A/C
  32 Roto Molded High Durability Wheel Skirts
  33 Diamond Scored Sidewall Skirts (Some Models)
- Diamond Plate Gravel Guard




















































# WHAT ABSOLUTE NORTHWOOD?



When you purchase a Nash, you are investing in the best quality materials, construction and craftsmanship. That is why the resale value in a Nash remains higher, and your investment retains its value longer. If you ever decide to trade in your Nash, you will get top dollar. That is why you don't see many used Nash trailers on the market, folks buy them up as quickly as they become available because Nash RVs have a reputation for durability and longevity.





✓ Full Walk On, Bonded Roof Truss System

CABINETS (

✓ Wall & Ceiling Mounted, Face Frame Construction



√ A True 4 Season Coach

## NORTHWOOD BUILT CERTIFIED CHASSIS



# OUR OWN HEAVY DUTY STRUCTURAL STEEL OFF-ROAD CHASSIS

We are one of the few manufacturers that build their own chassis. The name NORTHWOOD is known throughout the industry for quality chassis and we certify ours through an independent testing laboratory for quality assurance.



# NORTHWOOD BUILT ONE PIECE LAMINATE FIBERGLASS WALLS

'SELECT' Grade Lumber 16" O/C Framing 2x6 Slide Headers 2x4 Wheel Wells One Piece Fiberglass

Hot Glue Pressure Applied Luaun Backing

Structural Joints Reinforced w/Steel Hurricane Plates


CONTINUOUS SEAMLESS FIBERGLASS

STEEL REINFORCING PLATES

BONDED
ONE PIECE
WALL SECTIONS



# OUR BONDED ROOF TRUSS SYSTEM ENSURES A FULL WALK-ON ROOF



The Northwood Bonded Roof Truss System bonds all the components of the roof structure together as a unit. The ceiling, trusses and roof plywood are unified in a bonded system that gives superior load

OF EXTRA HEADROOM

distribution and maximum load bearing capacity.

Top quality exterior grade plywood panels are bonded to the trusses and a thick one piece roofing membrane is then applied for a durable, long lasting seal to protect you and your coach from the elements.



# CUSTOM BUILT FACE FRAME CABINETS

# BEAUTIFUL STRONG

CABINETRY W/SOLID WOOD DOORS,
BUILT USING RESIDENTIAL FACE FRAME
CONSTRUCTION METHODS &
INTEGRATED WITH THE WALL & CEILING.







Solid Wood cabinet doors ensure lasting beauty and rugged strength.



Face Frame construction gives our cabinets 'high end' residential quality.



Structurally Integrated cabinetry is anchored to the walls and ceiling structure of our coaches making both the RV and the cabinets stronger.

## A TRUE FOUR SEASON ALL CONDITIONS UNIT



HEATED ENCLOSED HOLDING TANKS
AND DUMP VALVES DESIGNED FOR
COLD NORTHERN AND
HOT SOUTHERN CLIMATES


Northwood builds true 4-Season Coaches. Our fully insulated holding tank area circulates warm air around the suspended tanks providing the best protection from freezing. Our knife valves are also enclosed to keep them from freezing. Our 4-Season coaches are insulated with various types of residential quality Batten & Reflective Foil insulation to protect you from the winter cold & summer heat.











# ALL CONDITIONS/FOUR SEASONS

Cozy camping in the Nash 25C 4-Season Trailer. When it was time for an upgrade for the Allan family of Calgary, they didn't hesitate to upgrade to Northwood's biggest bunkhouse trailer, the Nash 29S. Submitted by: The Allan Family





### QUALITY CONSTRUCTION CAN BE A LIFE SAVER!

This picture was sent in to Northwood by a repeat customer who lived in her 17K near Portland, OR. Due to excessive snow load, this tree uprooted and landed on her trailer while she was asleep inside!!!

Fortunately, we build Nash Trailers with 16" on center, select quality studs and quality plywood (instead of OSB board and 24" OC framing). If this had been a lesser quality trailer, it could have turned out much worse!!! Fonda said she was so impressed with Northwood quality that she just bought a brand new 2019 Arctic Fox 22G."

Submitted by: Fonda W.

# AREYOUREADY/TOGODICE



### A LEGACY OF QUALITY

### STANDARD CONSTRUCTION FEATURES

Northwood Built, Independently Certified, Off-Road Chassis Fully Welded, Thick-Wall Aluminum Frame Construction One-Piece, Corona Treated, Continuous Fiberglass Hot, Polyurethane Laminated, Multi-Layered Substrate Walls High Density Block Foam Insulation Cathedral Arched Ceiling / Aerodynamic Front Contour F-7 Lube Ayles w/Ney-R Adjust Forward, Self Adjusting Brake

Cathedral Arched Ceiling / Aerodynamic Front Contour E-Z Lube Axles w/Nev-R Adjust Forward, Self Adjusting Brakes 15" Aluminum Wheels / Tires & White Mod Spare Shocks On All Four Wheels

12-Volt Power Tongue Jack / Stabilizer Jacks

Easy Access LP Cover / Dynamic "Flight" Graphics 4" Sewer Hose Carrier Bumper

All-Conditions/Four Seasons Insulation With R-14 Ceiling R-15 Reflective Foil Insulation in Roof / Slide

**Heated and Enclosed Tanks** 

Nash Fiberglass Front Cap w/ Diamond Plate Front Gravel Guard Dinette Slide (18FM, 23D, 24B, 26N, 29S)

Sofa Slide (24M, 29S)

Second Entry (24M, 26N, 29S)

Efficient Residential-Style Ducted Heating

Generator Ready / Satellite Ready / Solar Ready

#### STANDARD EXTERIOR FEATURES

Easy Access LP Cover 4" Sewer Hose Carrier Bumper **LED Exterior Lighting** Roof Rack & Phatt Ladder **Exterior Marine Grade Speakers** Pass Thru Storage / Full Width Storage in 18FM, 22H LPG Quick Connect & Black Water Flush System Large Exterior Entry Grab Handle / Entry Door Friction Hinge Exterior Shower / Magnetic Catches Semi-Automatic Winterization/By-Pass System 10 Gal DSI Gas/Elect Quick Recovery Water Heater 13.5m BTU Air Conditioner w/Condensation-Resistant Ducting Carefree Travel'R 12V LED Awning w/Adjustable Pitch HW TV Antenna with Wi-Fi Extender Ready/Battery Disconnect 45 Watt Solar Panel Sidewall Solar Port Rear Receiver Hitch

#### STANDARD INTERIOR FEATURES

Custom One Piece Formed Countertops & Dinette Table
LED Interior Lighting
Interior Command Center
Knotty Alder Cabinetry
Roller Bearing Drawer Glides
Hidden Hinges on Cabinet Doors
Fabric Night Shade Window Treatments
Charge Wizard / Digital Thermostat
AM/FM/CD/DVD Player w/Bluetooth
Smoke, LPG & CO Leak Detectors
Custom Nash Signature Key Rack
Jackknife Sofa (22H, 24M, 25DS, 29S)
Booth Dinette (17K, 22H, 24M, 25DS, 26N)

U-shaped Dinette (18FM, 23D, 29S)

**Etched & Glazed Passage Door** 





Residential, Built-In Microwave Stainless Steel Appliances High Output 3-Burner Range with Range Cover Large Fridge (7 Cu Ft) w/ Cold Weather Kit Stainless Steel Sink Sink Cover/Cutting Board

### STANDARD BATHROOM FEATURES

Hand Flush Toilet / Bath Skylight Brushed Nickel Shower Screen Full Tub (18FM, 24B, 26N, 29S) Shower Pan (17K, 22H, 23D, 24M & 25DS)

### STANDARD BEDROOM FEATURES

Double Over Double Bunkhouse (24B, 29S)
NW TruRest Queen Mattress w/ Bedspread
Camping Clothes Closet with Removable Shelves
USB Charging Ports on Both Sides of Bed
Below Bed Storage
Recessed Storage Headboard

### OPTIONS

Fan Vent - Bedroom
Fan Vent - Kitchen
Fan Vent - Bathroom (Exhaust Only)
Thermal Pane Windows
Holding Tank Heat Pads (All Tanks)
Slide Out Topper (18FM, 23D, 24M, 24B, 26N, 29S)
28" 12v LED TV (17K, 22H, 24M, 23D)
32" 12v LED TV (18FM, 24B, 26N, 25DS, 29S)

15K Air Conditioner w/ Ducting (23D, 24M, 25DS, 26N, 29S) Gateway Router

2.5 Onan LP Generator & 11K Power Saver A/C (17K,18FM, 22H) 3.6 Onan LP Generator (23D, 24B, 24M, 25DS, 26N, 29S) 100 or 170 Watt Solar Panel

Cargo Carrier, Aussie Grill w/Stand

Rear View Camera OTG Package



## STANDARD FEATURES & OPTIONS

CUSTOMER PHOTOS AND TESTIMONIALS DO NOT NECESSARILY REFLECT THE VIEWS OR RECOMMENDATIONS OF NORTHWOOD MANUFACTURING. Send us your testimonial with your pictures and you may be featured in our future promotions.

Send your information to:
feedback@northwoodmail.com

Model Number	17K	18FM	22H	23D	24B	24M	25DS	26N	298
Dry Axle Weight (approx. Lbs.)	4177	5106	4486	5134	5702	5428	TBD	5809	6564
Dry Hitch Weight (approx. Lbs.)	589	556	627	606	758	595	TBD	743	796
Net Carrying Capacity	2634	1738	2387	1760	2740	3177	TBD	2648	3340
Gross Dry Weight (approx. Lbs.)	4766	5662	5113	5740	6460	6023	TBD	6552	7360
Gross Vehicle Weight Rating (GVWR)-Lbs.	7400	7400	7500	7500	9200	9200	TBD	9200	10700
Exterior Length (approx. w/hitch)	22' 4"	22'11"	24'9"	25'10"	28'8"	27'3"	29'2"	29'2"	32'4"
Exterior Height (approx. incl. AC unit)	11'1"	11'6"	11'1"	11'6"	11'6"	11'6"	11'6"	11'6"	11'6"
Exterior Width (approx, w/o awning)	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
Tire Size	ST205	ST205	ST205	ST205	ST225	ST225	ST225	ST225	ST225
	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15
Load Range	D	D	D	D	E	E	E	E	E
Fresh Water w/ Water Heater (approx. gal.)	50	50	50	50	50	50	50	50	50
Gray Water Tank (approx. gal.)	35	42	42	42	42	42	40	42	40
Black Water Tank (approx. gal.)	36	35	35	35	35	35	35	36	35
LPG Capacity (approx. gal.)	14	14	14	14	14	14	14	14	14
CSA - Canadian Dealers Only	YES	YES	YES	YES	YES	YES	YES	YES	YES
Auto Ignition Furnace (1,000 BTUs)	25	25	25	25	25	25	25	25	25

\*All dry weights are calculated before adding options. Specifications are subject to change without notice. Verify the towing capacity of your tow vehicle. If you don't know or aren't sure, you can ask your automotive dealership or contact your tow vehicle manufacturer. All weights above are average approximations and may vary.

### YOUR LOCAL DEALER:

Updated Feb. 2021

Northwood Manufacturing, 59948 Downs Rd., PO Box 3359, La Grande, OR 97850 (541) 962-6274 - www.northwoodmfg.com